



## SALES SPECIFICATION

Code: MAC

Description: Maleic Anhydride

Test Description	Specification Limits		Unit of Measure	Test Method
	Min.	Max.		
Appearance			Molten Briquettes	
Colour		20	APHA	ASTM D-3366-74
Purity		99.5	Wt %	JIS K-0114
Heat Stability		40		ASTM D-3364
Solidification Point	52.5		Deg.C	JIS K-0065
Ash Content		20	ppm	JIS K-0067
Iron Content		5	ppm	JIS K-0121
Maleic Acid		0.3	Wt %	JIS K-0124
Acid Value	1140	1155	Mg KOH / g	

Comments: Physical properties are not monitored constantly.

Issue of Revision Date: 01-08-2009

Spec Version Number: 1